



VIKING®

RAISING THE BAR

EXPLORE BAR SOLUTIONS



RAISING THE BAR

Keep your front of house operations moving smoothly with quality refrigeration, dispensers, and ice machines by Viking Commercial. Explore how each uniquely designed product aids in efficiency, creating a better customer experience.

Having properly preserved wine, cold bottles, cans, and garnishes readily available is a necessary part of any efficient bar or serving station. Our wide range of undercounter refrigeration, wine columns, and customizable back bar refrigeration with direct draw options allow you to have what you need, where you need it most.

Get the perfect pour every time with our suite of beverage dispensers. From nitro coffee to craft beer, white wine to signature cocktails, serve your guests exactly what they are looking for. We offer several unique models to choose from, including an all-in-one dispenser that pours beer, wine, and nitro-infused drinks for the ultimate convenience.

Our exclusive craft clear ice machines are a testament to our commitment to innovation and quality. An efficient alternative to the traditional method of using trays in a freezer, our craft clear ice machines exceeds expectations in both performance and durability by serving up to 120 extra-large cubes per day. Perfect for serving bourbon, scotch, and craft cocktails.

EXPLORE BAR SOLUTIONS







CONFIGURABLE BACK BAR REFRIGERATION

- Customize for your operation with refrigeration in a variety of sizes and selections including condenser location, solid and glass door configurations, and direct draw options
- Back bar refrigerators offered in 32", 52", 72", and 92" with additional customizations like condenser location and solid and glass door combinations.
- Field reversible door(s) with lock(s)
- Casters or legs sold as an accessory



VCBR532-SS01A



VCBR552-SS01A



VCBR572-SS01A



VCBR592-SS01A



VCBR532-SG01A



VCBR552-SG01A



VCBR572-SG01A



VCBR592-SG01A



VCBR652-SS01A*



VCBR672-SS01A*



VCBR692-SS01A*

Model	32" Models	52" Models	72" Models	92" Models
Dimensions	34 5/16" H x 32" W x 24 3/4" D	34 5/16" H x 52" W x 24 3/4" D	34 5/16" H x 72" W x 24 3/4" D	34 5/16" H x 92" W x 24 3/4" D
Internal Volume	6.25 cu ft	12.52 cu ft	19.74 cu ft	28.5 cu ft
Refrigerant	R600a (2.12 oz)	R290 (4.06 oz)	R290 (4.06 oz)	R290 (4.06 oz)

*Tap tower ready. Tap towers sold separately.





CONFIGURABLE BACK BAR REFRIGERATION

Specifications
Adjustable coated wire shelves (not included on direct-draw models)
Adjustable bright white or blue LED lighting
Automatic defrost
Convection cooling system provides a quick cool down and consistent temperature
High efficiency compressor
NSF/ANSI Standard 7 compliant
Temperature range: 33°F - 70°F

Model	Description	Voltage/Hz	Shipping Weight
VCBR532-SS01A	32" Back Bar, 1 Solid Door, Lock, Condenser Right, 3 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	302 lb
VCBR552-SS01A	52" Back Bar, 2 Solid Doors, Locks, Condenser Right, 6 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	382 lb
VCBR572-SS01A	72" Back Bar, 3 Solid Doors, Locks, Condenser Right, 9 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	496 lb
VCBR592-SS01A	92" Back Bar, 4 Solid Doors, Locks, Condenser Right, 12 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	542 lb
VCBR532-SG01A	32" Back Bar, 1 Glass Door, Lock, Condenser Right, 3 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	302 lb
VCBR552-SG01A	52" Back Bar, 2 Glass Doors, Locks, Condenser Right, 6 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	382 lb
VCBR572-SG01A	72" Back Bar, 3 Glass Doors, Locks, Condenser Right, 9 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	496 lb
VCBR592-SG01A	92" Back Bar, 4 Glass Doors, Locks, Condenser Right, 12 Wire Shelves, Solid Top, Stainless Steel	115v / 60hz	542 lb
VCBR652-SS01A	52" Back Bar, 2 Solid Doors, Locks, Condenser Right, 1 Tap & Drain Hole, Stainless Steel	115v / 60hz	382 lb
VCBR672-SS01A	72" Back Bar, 3 Solid Doors, Locks, Condenser Right, 2 Taps & Drain Holes, Stainless Steel	115v / 60hz	496 lb
VCBR692-SS01A	92" Back Bar, 4 Solid Doors, Locks, Condenser Right, 2 Taps & Drain Holes, Stainless Steel	115v / 60hz	542 lb

Accessories	Description	Shipping Weight
ULACOMLEGS4	4, 6" Adjustable leveling legs for 32" and 52" Models	10 lb
ULACOMLEGS6	6, 6" Adjustable leveling legs for 72" and 92" Models	14 lb
ULACOMCASTERS4	4, 6" Casters for 32" and 52" Models	12 lb
ULACOMCASTERS6	6, 6" Casters for 72" and 92" Models	17 lb
ULATAPSINGLE	Single Beer Tap Tower Kit	20 lb
ULATAPDOUBLE	Double Beer Tap Tower Kit	24 lb
ULABACKBARCOFFEE2	2 Tap Nitro Coffee Kit	10 lb
ULABACKBARCOFFEE3	3 Tap Nitro Coffee Kit	11 lb
ULABACKBARCOFFEE4	4 Tap Nitro Coffee Kit	12 lb



15" BEVERAGE DISPENSERS

VCDE215-SSH1A: Tap 1: Still Coffee • Tap 2: Nitro Coffee
 VCDE215-SSA1A: Tap 1: Beer

- Maximize profits by utilizing a small space to serve beer or nitro coffee with a compact direct draw beverage dispenser
- Includes refrigeration cabinet, dispensing tower, tubing, hardware, black tap handles, drip tray, and casters
- Designed to be built-in or freestanding



VCDE215-SSH1A



VCDE215-SSA1A



Coffee dispensers utilize patent-pending technology trusted by America's largest coffee chain

Model	Description	Voltage/Hz	Shipping Weight
VCDE215-SSH1A	Cold Coffee 2 Dispenser 15" Reversible Hinge Solid Door	115v / 60hz	86 lb
VCDE215-SSA1A	Beer 1 Dispenser 15" Reversible Hinge Solid Door	115v / 60hz	80 lb

Specifications

VCDE215-SSH1A holds up to one 5 gallon cornelius keg & one 10 lb / 38 cu ft nitro tank
VCDE215-SSA1A holds up to one 1/6 barrel & one 10 lb / 38 cu ft CO ² tank
Cabinet Dimensions: 34 1/2" H x 15" W x 25 3/4" D (see diagram for tower heights)
Convection cooling system provides a quick cool down and consistent temperature
Environmentally friendly R600a refrigerant: VCDE215-SSH1A: 1.06 oz / VCDE215-SSA1A: 1.23 oz
Full-depth lower interior with an interior volume of 3.6 cu ft
High efficiency variable speed compressor
NSF/ANSI Standard 7 compliant
Removable lower interior stainless steel liner
Stainless steel cabinet, grille, and full-wrap door
Temperature range: 34°F – 60°F

Accessories	Description	Shipping Weight
ULANITROTANK	22 cu ft Aluminum Nitro Tank	5 lb
ULACOFFFEEKEG	2.5 gal Coffee Keg	6 lb
ULANITROREG	Nitrogen Regulator	3 lb
ULACOFFFEECLEAN	Coffee Dispenser Cleaner (1 Box of 5 Packets)	1 lb





24" BEVERAGE DISPENSERS

- VCDE224-SSE3A: Tap 1 & 2: Nitro Coffee • Tap 3: Still Coffee
- VCDE224-SSF3A: Tap 1: Nitro Coffee • Tap 2: Still Coffee • Tap 3: Wine • Tap 4: Beer
- VCDE224-SSB3A: Tap 1: Beer • Tap 2: Beer
- VCDE224-SSG3A: Tap 1 & 2: Nitro Coffee • Tap 3 & 4: Still Coffee

- Perfect for hotels, restaurants, stadium suites, bars and entertainment areas with a compact direct draw beverage dispenser
- Includes refrigeration cabinet, dispensing tower, tubing, hardware, black tap handles, drip tray, and casters
- Designed for built-in or freestanding applications



VCDE224-SSE3A



VCDE224-SSF3A



VCDE224-SSB3A



VCDE224-SSG3A



Coffee dispensers utilize patent-pending technology trusted by America's largest coffee chain

Model	Description	Voltage/Hz	Shipping Weight
VCDE224-SSE3A	Cold Coffee 3 Dispenser 24" Reversible Hinge Solid Door	115v / 60hz	134 lb
VCDE224-SSF3A	Cold Coffee 4 Dispenser 24" Reversible Hinge Solid Door	115v / 60hz	134 lb
VCDE224-SSB3A	Beer 2 Dispenser 24" Reversible Hinge Solid Door	115v / 60hz	134 lb
VCDE224-SSG3A	Cold Coffee, Beer, Wine 4 Dispenser 24" Reversible Hinge Solid Door	115v / 60hz	134 lb

Specifications

VCDE224-SSE3A holds up to three 5 gallon cornelius kegs & one 10 lb / 38 cu ft nitro tank
VCDE224-SSF3A holds up to four cornelius kegs (two 5 gallon and two 3 gallon) & one 10 lb / 38 cu ft nitro tank
VCDE224-SSB3A holds up to one ½ barrel or three ⅓ barrels & one 5 lb / 22 cu ft CO ² tank
VCDE224-SSG3A holds up to one 5 gallon cornelius keg, one ⅓ barrel, one ¼ slim barrel, & two 5 lb / 22 cu ft tanks (one CO ² one nitro)
Cabinet Dimensions: 34 ½" H x 25 ¾" W x 23 ⅛" D (see diagram for tower height)
Convection cooling system provides a quick cool down and consistent temperature
Environmentally friendly R600a refrigerant: 1.23 oz
Full-depth lower interior with an interior volume of 6.3 cu ft
High efficiency variable speed compressor
NSF/ANSI Standard 7 compliant
Removable lower interior stainless steel liner
Stainless steel cabinet, grille, and full-wrap door
Temperature range: 34°F – 60°F

Accessories	Description	Shipping Weight
ULANITROTANK	22 cu ft Aluminum Nitro Tank	5 lb
ULACOFFEEKEG	2.5 gal Coffee Keg	6 lb
ULANITROREG	Nitrogen Regulator	3 lb
ULACOFFEECLEAN	Coffee Dispenser Cleaner (1 Box of 5 Packets)	1 lb





UNDERCOUNTER REFRIGERATORS

- Adjustable interior with 19 possible positions for shelves, wine racks, and bin accessories

- Designed for built-in or freestanding applications
- Undercounter refrigerators include 2 slide-out metal shelves



VCRE515-SG33A



VCRE515-SS33A



VCRE518-SG33A



VCRE518-SS33A



VCRE524-SG33A



VCRE524-SS33A

Model	Description	Voltage/Hz	Shipping Weight
VCRE515-SG33A	Refrigerator 15" Reversible Hinge Glass Door	115v / 60hz	108 lb
VCRE515-SS33A	Refrigerator 15" Reversible Hinge Solid Door	115v / 60hz	96 lb
VCRE518-SG33A	Refrigerator 18" Reversible Hinge Glass Door	115v / 60hz	131 lb
VCRE518-SS33A	Refrigerator 18" Reversible Hinge Solid Door	115v / 60hz	118 lb
VCRE524-SG33A	Refrigerator 24" Reversible Hinge Glass Door	115v / 60hz	165 lb
VCRE524-SS33A	Refrigerator 24" Reversible Hinge Solid Door	115v / 60hz	150 lb

Specifications

VCRE515-SG33A dimensions: 33 1/16" H x 14 15/16" W x 22 15/16" D

VCRE515-SS33A dimensions: 33 1/16" H x 14 15/16" W x 22 15/16" D

VCRE518-SG33A dimensions: 33 1/16" H x 17 3/4" W x 22 15/16" D

VCRE518-SS33A dimensions: 33 1/16" H x 17 3/4" W x 22 15/16" D

VCRE524-SG33A dimensions: 33 1/16" H x 23 5/8" W x 22 15/16" D

VCRE524-SS33A dimensions: 33 1/16" H x 23 5/8" W x 22 15/16" D

Adjustable bright white or blue LED lighting

Convection cooling system provides a quick cool down and consistent temperature

Environmentally friendly R600a refrigerant: VCRE515-SG33A: 1.06 oz / VCRE515-SS33A: 1.23 oz / VCRE518-SG33A: 1.23 oz / VCRE518-SS33A: 1.34 oz / VCRE524-SG33A: 1.34 oz / VCRE524-SS33A: 1.06 oz

Full-depth lower interior with a volume of 2.9 cu ft

High efficiency variable speed compressor

NSF/ANSI Standard 7 compliant

Stainless steel cabinet, grille, and full-wrap door with lock

Temperature range: 34°F – 70°F

Accessories	Description	Shipping Weight
ULACASTERKIT15	15" Caster Kit	13 lb
ULAWINERACK15	Slide-out Rack	8 lb
ULABIN15	Slide-out Bin	9 lb
ULASHELF15	Slide-out Metal Shelf	4 lb





UNDERCOUNTER WINE REFRIGERATORS

- Adjustable interior with 19 possible positions for shelves, wine racks, and bin accessories
- Designed for built-in or freestanding applications
- Wine refrigerator models include 5 slide-out wine racks



VWC515-SG33A



VWC515-SS33A



VWC518-SG33A



VWC518-SS33A



VWC524-SG33A



VWC524-SS33A

Model	Description	Voltage/Hz	Shipping Weight
VWC515-SG33A	Wine Refrigerator 15" Reversible Hinge Glass Door	115v / 60hz	111 lb
VWC515-SS33A	Wine Refrigerator 15" Reversible Hinge Solid Door	115v / 60hz	99 lb
VWC518-SG33A	Wine Refrigerator 18" Reversible Hinge Glass Door	115v / 60hz	134 lb
VWC518-SS33A	Wine Refrigerator 18" Reversible Hinge Solid Door	115v / 60hz	121 lb
VWC524-SG33A	Wine Refrigerator 24" Reversible Hinge Glass Door	115v / 60hz	168 lb
VWC524-SS33A	Wine Refrigerator 24" Reversible Hinge Solid Door	115v / 60hz	153 lb

Specifications

VWC515-SG33A dimensions: 33 1/16" H x 14 15/16" W x 22 15/16" D

VWC515-SS33A dimensions: 33 1/16" H x 14 15/16" W x 22 15/16" D

VWC518-SG33A dimensions: 33 1/16" H x 17 3/4" W x 22 15/16" D

VWC518-SS33A dimensions: 33 1/16" H x 17 3/4" W x 22 15/16" D

VWC524-SG33A dimensions: 33 1/16" H x 23 5/8" W x 22 15/16" D

VWC524-SS33A dimensions: 33 1/16" H x 23 5/8" W x 22 15/16" D

Adjustable bright white or blue LED lighting

Convection cooling system provides a quick cool down and consistent temperature

Environmentally friendly R600a refrigerant: VWC515-SG33A: 1.06 oz / VWC515-SS33A: 1.23 oz / VWC518-SG33A: 1.23 oz / VWC518-SS33A: 1.34 oz / VWC524-SG33A: 1.34 oz / VWC524-SS33A: 1.59 oz

Full-depth lower interior with a volume of 2.9 cu ft

High efficiency variable speed compressor

NSF/ANSI Standard 7 compliant

Stainless steel cabinet, grille, and full-wrap door with lock

Temperature range: 34°F – 70°F

Accessories	Description	Shipping Weight
ULACASTERKIT15	15" Caster Kit	13 lb
ULAWINERACK15	Slide-out Rack	8 lb
ULABIN15	Slide-out Bin	9 lb
ULASHELF15	Slide-out Metal Shelf	4 lb






DUAL ZONE WINE COLUMNS

- Preserve, serve and display up to 160 full-size bottles of wine
- Dual zone independent temperature zones, temperature range of 43° F to 65° F
- Sixteen full width maple facing shelves coated to reduce vibration
- Two convertible shelves adjust for bottle display



VCWD630-SG41A



VCWD630-SG51A

Model	Description	Voltage/Hz	Weight
VCWD630-SG41A	Wine Column 30" Dual-Zone, Right Hinge, Stainless, Glass Door	115v / 60 hz	157 lb (71kg)
VCWD630-SG51A	Wine Column 30" Dual-Zone, Left Hinge, Stainless, Glass Door	115v / 60 hz	157 lb (71kg)

Specifications

VCWD630-SG41A and VCW630-SG51A dimensions: 84 1/8" H x 30" W x 27" D with handle

Door locks included

Doorstops are factory set at 110° swing, adjustable to 90° or 120°

Dual magnet/spring assist door to automatically close

Dual zone LED lighting with on, off, or adjustable duration

Electronic control monitors and maintains the set temperature within 1° F

Environmentally friendly R600a refrigerant (2.04 oz)

Front venting high efficiency variable speed compressor

Low E glass protects and preserves wine

Must specify right hinge or left hinge when ordering






CRAFT CLEAR ICE MACHINES

- Offer your guests an industry exclusive extra-large slow melting crystal clear cube to compliment whiskeys and cocktails
- High production rate of 120 cubes per day
- Industry leading BrightShield® antimicrobial lighting creates a clean environment for ice



BrightShield protects against viruses, bacteria, mold, & mildew.



VCCC115-SS81A

Model	Description	Voltage/Hz	Shipping Weight
VCCC115-SS81A	Craft Clear Ice Machine 15" Reversible Hinge Stainless Solid	115v / 60hz	125 lb

Specifications

VCCC115-SS81A Dimensions: 33 3/4" to 34 3/4" H x 14 15/16" W x 23 5/8" D
Designed for built-in or freestanding applications
Easy clean process only lasts 45 minutes
Environmentally friendly R600a refrigerant (1.976 oz)
Factory installed drain pump
High efficiency variable speed compressor with 1.7 running amps
Indicator alert notifies when cleaning is needed
Makes square cubes 1 7/8" x 1 7/8" x 1 1/4"
Stainless steel cabinet, grille, and full-wrap door
Silent setting temporarily suspends ice making for 3 hrs

Accessories	Description	Shipping Weight
ULAWATERHOOKUP	Braided Water Supply Line Kit	2 lb
80-55667-00	Clear Ice Machine Cleaner (Single 4 oz. Bottle)	1 lb





RAISING THE BAR

- Beverage dispensers offered in 15" and 24"
- Undercounter and wine refrigerators offered in 15", 18", and 24"
- Back bar refrigerators offered in 32", 52", 72", and 92" with additional customizations
- Dual-zone wine column stores up to 160 bottles
- Industry exclusive craft clear ice machines that produce up to 120 cubes per day
- Robust stainless steel finishes
- NSF/ANSI Standard 7 compliant
- 1 Year (parts and labor) / 5 year sealed system (parts) – see complete warranty for details

SEE ALL THAT VIKING COMMERCIAL HAS TO OFFER



vikingrange.com/commercial

All specifications are subject to change without notice.

 **THE MIDDLEBY CORPORATION**